



## SUCO - 0151 VACUUM SWITCH

Brass body

0151455153001

-200...950mbar, G1/8 female, Nc, FKM, Spade, Brass

- Up to 42 V
- Spade or screw terminals
- Adjustment range of 200 mbar to 950 mbar (relative)
- Normally open or Normally closed
- Over pressure safety of 35 bar



### Product description

The 0151 series vacuum switch is a brass bodied switch from SUCO for vacuum applications. Offering a maximum voltage of 42V with normally open or normally closed contacts housed in a hex 24 brass body. The switch point is very stable even after a long period of time and high load and also adjustable on site and can come pre-set.

Common applications include water, medical, air and chemical.

### Specifications

<b>Approvals</b>	RoHS II
<b>Contact Rating Max</b>	4
<b>Deviation max</b>	±100mbar
<b>IP Class</b>	IP00
<b>Max switching frequency/min</b>	200
<b>Operating range max</b>	950
<b>Operating range min</b>	200
<b>Pressure Range Max</b>	0,95
<b>Pressure Range Min</b>	0,2
<b>Pressure type</b>	Vakuum
<b>Temperature ambient from</b>	-20
<b>Temperature ambient to</b>	80

Temperature range of media from	-15
Temperature range of media to	120
Weight	140
Voltage AC / DC Max	42
Voltage AC / DC Min	10

